OCT 20, 2018

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.uvcew2w

Protocol Citation: Franziska Müller, Memduha Muratoglu, Jana Jung 2018. Natural Transformation. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.uvcew2w>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Oct 20, 2018

Last Modified: Oct 20, 2018

PROTOCOL integer ID:
 17028

🌐 Natural Transformation

Franziska Müller¹, Memduha Muratoglu¹, Jana Jung¹

¹iGEM Marburg 2018

Franziska Müller

ABSTRACT

Following this protocol, *V. Natriegens* cells can be transformed with linear fragments and plasmids based on natural transformation as described in Multiplex Genome Editing by Natural Transformation (MuGENT) for Synthetic Biology in *Vibrio natriegens* Dalia *et. al*, 2017. *ACS Synthetic Biology*.

PRE CULTURE

- 1 Of a strain containing tfoX regulated by an inducible promoter (in this case an IPTG inducible promoter).

🔥 30 °C Shaking 🧪 3 mL LBv2 [M] 100 Molarity (M) uM IPTG
[M] 100 Mass / % volume ug/ml Carbenicillin
🕒 12:00:00 Hours to 🕒 16:00:00 Hours

Transformation reaction

- 2 🧪 3.5 µL Pre culture 🧪 350 µL 28g/l XIO [M] 100 Molarity (M) um IPTG
Are mixed and 🧪 50 ng Transformation DNA are added. A control without addition of transformation DNA is prepared, too.
🔥 30 °C Static 🕒 04:00:00 Hours to 🕒 06:00:00 Hours

Recovery

- 3 Add 🧪 1 mL LBv2
🕒 02:00:00 Hours 🔥 30 °C Shaking

Selection

- 4 Plate complete reaction onto LBv2 agar plates containing antibiotic corresponding to transformation DNA.
Incubation 🕒 12:00:00 Hours 🔥 37 °C