OCT 18, 2020

PCR

Jiaxin Li¹

¹South China University of Technology

Jiaxin Li

OPEN ACCESS

DOI:

dx.doi.org/10.17504/protocols.io.bniemcbe

Protocol Citation: Jiaxin Li
2020. PCR. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.bniemcbe>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: Oct 16, 2020

Last Modified: Oct 18, 2020

PROTOCOL integer ID:
43302

- 1 Set up a small box with ice, put DNA and 2×high Taq Master Mix into it before going into the Bio-rad S1000TM thermocycler.

Add the following reagent to a PCR tube (50 µl) and program the thermocycler as follows:

Q5 polymerase

3

component	25ul	50ul
5XQ5 buffer	5ul	10ul
10mM dNTPs	0.5ul	1ul
Forward Primer 10μM	1.25ul	2.5ul
Reverse Primer 10μM	1.25ul	2.5ul
Template (<1000ng)	According to different template	According to different template
Q5 polymerase	0.25ul	0.5ul
ddWater	Add to 25ul	Add to 50ul

4

Temperature	time
98°C	03:00
98°C	00:05-00:10
Tm-5°C	00:10-00:30
72°C	20-30s/kb
72°C	02:00
4°C	∞

KOD FX

5

component	volumn/ul	Final Concentration
2xPCR buffer	25uL	1X
2mM dNTPs	10uL	400umol/L
10umol/L Forward Primer	1.5uL	0.3umol/L
10umol/L Reverse Primer	1.5uL	0.3umol/L
Template DNA	2uL	Genomic DNA $\leq$ 200ng/50ul
		Plasmid DNA (10ng/ul)
		cDNA $\leq$ 200ng
		Crude sample $\leq$ 0.5-4ul
ddH2O	Add to 50uL	(10ul)
KOD FX	1uL	1unit/50 μ l
Total	50 μ l	

6

Temperature	time
98°C	T1= 03:00
98°C	T2= 00:10
Tm-5°C	T3=00:30
68°C	T4 : 1min/kb
68°C	T6>T2+T3+T4
4°C	∞

T5 Taq Polymerase

7

Component	Volume/ul	Final Concentration
2XT5 Super PCR Mix	5ul	1x
10uM Forward Primer	0.4ul	0.4uM

10uM Reverse Primer	0.4ul	0.4uM
Template DNA	1ul	<1ug
ddH2O	Add to 10ul	
Total	10ul	

8

Temperature	time
98°C	03:00
98°C	00:10
Tm-5°C	00:10
72°C	20s/kb
72°C	02:00
4°C	∞