

Jun 24, 2019

Plasmid used for transfection trails of *Hematodinium*

DOI

dx.doi.org/10.17504/protocols.io.4nigvce



Imen Lassadi¹

¹Department of Biochemistry, University of Cambridge

Protist Research to Opti...



Elin Einarsson

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.4nigvce>

Document Citation: Imen Lassadi 2019. Plasmid used for transfection trails of *Hematodinium* . **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.4nigvce>

License: This is an open access document distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited



Created: June 24, 2019

Last Modified: June 24, 2019

Document Integer ID: 25002

Keywords: transfection trails of hematodinium, plasmid information, plasmid, hematodinium, egfp under the control, attachment for plasmid information, egfp, transfection trail, transfection, dvnp regulatory sequence

Abstract

Attempts to transfect *Hematodinium* was performed using a plasmid that will express eGFP under the control of DVNP regulatory sequences. See attachment for plasmid information.

Attachments



Hematodinium

plasmid...

139KB

Troubleshooting

