JUL 07, 2020

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.bhdgj23w

Protocol Citation: Marco Cosentino, Elisa Storelli, Alessandra Luini, Massimiliano LM Legnaro, Emanuela Rasini, Marco Ferrari, Franca Marino 2020. PMN- 05 Culture of Human PMN - IL-8 production. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.bhdgj23w>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Jun 10, 2020

Last Modified: Jul 07, 2020

PROTOCOL integer ID:
 38024

PMN- 05 Culture of Human PMN - IL-8 production

Marco Cosentino¹, Elisa Storelli¹, Alessandra Luini¹, Massimiliano LM Legnaro¹, Emanuela Rasini¹, Marco Ferrari¹, Franca Marino¹

¹Center for Research in Medical Pharmacology, University of Insubria (Varese, Italy)

Mattia Di Rocco

ABSTRACT

Adrenergic Modulation of Migration, CD11b and CD18 Expression, ROS and interleukin-8 Production by Human Polymorphonuclear Leukocytes.

Angela Scanzano, Laura Schembri, Emanuela Rasini, Alessandra Luini, Jessica Dallatorre, Massimiliano Legnaro, Raffaella Bombelli, Terenzio Congiu, Marco Cosentino, Franca Marino. *Inflamm Res.* 2015 Feb;64(2):127-35. doi: 10.1007/s00011-014-0791-8. Epub 2015 Jan 6.

MATERIALS

MATERIALS

⊗ RPMI 1640 **EuroClone Catalog #ECM 0495L- 500 ml**

⊗ Lipopolysaccharides from Escherichia coli O127:B8 **Sigma Catalog # L3137**

⊗ N-FORMYL-MET-LEU-PHE (fMLP) **Sigma Aldrich Catalog #F3506**

⊗ ELISA Kit for IL-8 **Invitrogen Catalog # KHC0081**

Instrumentation needed

Sterile and not sterile plastic disposable
 Laminar flow hood
 ELISA plate reader

- 1 Isolate PMN according either to the protocol "**Separation of Human Neutrophils (PMN) from Buffy CoatV.2**" or "**Separation of Human Neutrophils (PMN) from Whole Blood**".

- 2 Resuspend PMN at 10×10^6 cells/ml in **RPMI medium**.
- 3 Use a number of tubes according to the experimental plan and to the substances to test.
- 4 Tubes will be prepared to test resting IL-8 production (substances alone) and stimulus-induced production.

Note

Add substances before the activation with stimulus (time selected according to the experiential plan)

Stimulus: fMLP 0.1 μ M or LPS 1 μ M or other.

- 5 Incubate PMN at 37 °C for 03:00:00 in a 5 ml tubes for cell culture. Cells will be incubated in resting conditions or in presence of stimulus (point 3-4).
- 6 Centrifuge at 1500 x g, 00:10:00

Equipment

Allegra AVANTI 30

NAME

Centrifuge

TYPE

Beckman Coulter

BRAND

Beckman Italy

SKU

- 7 Harvest cell-free supernatant using a pipette and cell pellet (for real-time assay of mRNA for IL-8).
- 8 Store the supernatant and cell pellet at -80°C until the IL-8 Enzyme Linked-ImmunoSorbent Assay (ELISA) and/or real time assay is performed.