VERSION 3
JUL 02, 2019

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.42igyce

Protocol Citation: David A Eccles 2019. Preparing Reads for Stranded Mapping.

protocols.io
<https://dx.doi.org/10.17504/protocols.io.42igyce>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: In development
We are still developing and optimizing this protocol

Created: Jul 02, 2019

Last Modified: Jul 02, 2019

PROTOCOL integer ID:
25386

Preparing Reads for Stranded Mapping V.3

David A Eccles¹

¹Malaghan Institute of Medical Research (NZ)

David A Eccles

Malaghan Institute of Medical Research (NZ)

ABSTRACT

This protocol is for preparing long reads for stranded mapping, as an intermediate step for additional protocols:

- Aligning strand-oriented sequences to a transcriptome for transcript / gene counting
- Aligning strand-oriented sequences to a genome for confirmatory QC

Input(s): demultiplexed fastq files (see protocol [Demultiplexing Nanopore reads with LAST](#)), adapter file (containing strand-sensitive adapter sequences)

Output(s): oriented read files, as gzipped fastq files

Keywords: long reads,
nanopore, strand-specific,
sequencing, RNASeq

Barcode Demultiplexing

- 1 Demultiplex reads as per protocol [Demultiplexing Nanopore reads with LAST](#).

If this has been done, then the following command should produce output without errors:

```
for bc in $(awk '{print $2}' barcode_counts.txt);  
do ls demultiplexed/reads_${bc}.fastq.gz;  
done
```

Example output:

```
demultiplexed/reads_BC03.fastq.gz  
demultiplexed/reads_BC04.fastq.gz  
demultiplexed/reads_BC05.fastq.gz  
demultiplexed/reads_BC06.fastq.gz  
demultiplexed/reads_BC07.fastq.gz  
demultiplexed/reads_BC08.fastq.gz
```

If the *barcode_counts.txt* file is missing, the output will look like this:

```
awk: fatal: cannot open file `barcode_counts.txt' for reading (No  
such file or directory)
```

If one or more of the barcode-demultiplexed files are missing, the output will look something like this:

```
demultiplexed/reads_BC03.fastq.gz  
demultiplexed/reads_BC04.fastq.gz  
demultiplexed/reads_BC05.fastq.gz  
ls: cannot access 'demultiplexed/reads_BC06.fastq.gz': No such file  
or directory  
ls: cannot access 'demultiplexed/reads_BC07.fastq.gz': No such file  
or directory  
demultiplexed/reads_BC08.fastq.gz
```

Adapter Mapping

- 2 Prepare a FASTA file containing adapter sequences (see attached FASTA file).

☐ adapter_seqs.fa

- 3 Prepare the LAST index for the adapter file. This will generate seven additional files of the form <index name>.XXX:

```
lastdb adapter_seqs.fa adapter_seqs.fa
```

Orienting Reads

- 4 Map the reads to the adapter sequences. In this case it's important that the direction of mapping is also recorded, so the *cut* command selects three fields (query name [7], target name [2], mapping direction [10]):

```
for bc in $(awk '{print $2}' barcode_counts.txt);
do echo "*** ${bc} ***";
lastal -Q 1 -P10 adapter_seqs.fa <(pv
demultiplexed/reads_${bc}.fastq.gz) | \
    maf-convert -n tab | cut -f 2,7,10 | uniq | \
    gzip > demultiplexed/adapter_assignments_${bc}.txt.gz
done
```

- 5 The adapter assignments are filtered through *uniq* in order to catch (and exclude) any reads with the strand-switch primer matching multiple times. To unpack the *uniq* pipe a little bit more, it skips the first field (adapter name), then matches up to 36 characters, retaining only lines that don't match any others. This catches a few more chimeric reads that were missed by the unique barcode filter in the previous protocol.

Reads are filtered into two groups (and one group-by-omission) based on the mapped direction of the strand-switch primer, then reverse-complemented (if necessary) to match the orientation of the original RNA strand. I use my [fastx-fetch.pl](#) and [fastx-rc.pl](#) scripts for this.

☐ fastx-fetch.pl

☐ fastx-rc.pl

```

mkdir -p oriented
for bc in $(awk '{print $2}' barcode_counts.txt);
do echo "** ${bc} **";
fastx-fetch.pl -i <(zgrep '^SSP' adapter_assignments_${bc}.txt.gz
| \
    sort | uniq -f 1 -w 36 -u | \
    awk '{if($3 == "+"){print $2}}') <(pv reads_${bc}.fastq.gz) | \
    gzip > oriented/${bc}_reads_fwd.fastq.gz
fastx-fetch.pl -i <(zgrep '^SSP' adapter_assignments_${bc}.txt.gz
| \
    sort | uniq -f 1 -w 36 -u | \
    awk '{if($3 == "-"){print $2}}') <(pv reads_${bc}.fastq.gz) | \
    fastx-rc.pl | gzip > oriented/${bc}_reads_rev.fastq.gz
done

```

- 6 Forward and reverse-oriented sequences are combined together to form a single group of RNA-oriented reads.

```

for bc in $(awk '{print $2}' barcode_counts.txt);
do echo "** ${bc} **";
pv oriented/${bc}_reads_fwd.fastq.gz
oriented/${bc}_reads_rev.fastq.gz | \
    zcat | gzip > oriented/${bc}_reads_dirAdjusted.fastq.gz
done

```

Downstream Workflows

- 7 Following on from here, the oriented reads can be mapped to a genome (e.g. for visual confirmation of mapping), or to a transcriptome (e.g. for read counting):
- [Stranded Mapping from Oriented Long Reads](#)
 - [Stranded Transcript Count Table Generation from Long Reads](#)