

Oct 21, 2019 Version 2

# 🌐 Production of AAV Virus by Iodixanol Gradient Ultracentrifugation V.2

DOI

[dx.doi.org/10.17504/protocols.io.8dmhs46](https://dx.doi.org/10.17504/protocols.io.8dmhs46)

Allen Institute for Brain Science<sup>1</sup>

<sup>1</sup>Allen Institute

BICCN / BICAN

Allen Institute for Brain S...



Dillan Brown

OPEN  ACCESS



DOI: [dx.doi.org/10.17504/protocols.io.8dmhs46](https://dx.doi.org/10.17504/protocols.io.8dmhs46)

**Protocol Citation:** Allen Institute for Brain Science 2019. Production of AAV Virus by Iodixanol Gradient Ultracentrifugation. [protocols.io](https://dx.doi.org/10.17504/protocols.io.8dmhs46) <https://dx.doi.org/10.17504/protocols.io.8dmhs46>

**License:** This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

**We use this protocol and it's working**

**Created:** October 17, 2019

**Last Modified:** October 21, 2019

**Protocol Integer ID:** 28813

**Keywords:** AAV, high purity, high titer

## Abstract

This protocol is used to produce AAV of any serotype with high purity and high titer.

## Attachments



VC0003\_Production\_of..



212KB

