



Sep 19, 2023

Protocol for "Neuromelanin accumulation drives endogenous synuclienopathy in non-human primates"

DOI

<https://dx.doi.org/10.17504/protocols.io.bp2l6xdwrlqe/v1>

jlanciego^{1,2,3}

¹CNS Gene Therapy Program, Center for Applied Medical Research (CIMA) University of Navarra;

²Centro de Investigación Biomédica en Red de Enfermedades Neurodegenerativas (CiberNed-ISCIII);

³Aligning Science Across Parkinson's (ASAP) Collaborative Research Network



Jose Lanciego

Center for Applied Medical Research (Cima) University of Nav...

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.bp2l6xdwrlqe/v1>

Collection Citation: jlanciego 2023. Protocol for "Neuromelanin accumulation drives endogenous synuclienopathy in non-human primates". **protocols.io** <https://dx.doi.org/10.17504/protocols.io.bp2l6xdwrlqe/v1>

License: This is an open access collection distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this collection and it's working

Created: September 19, 2023

Last Modified: September 19, 2023

Collection Integer ID: 87996

Keywords: Tyrosinase, Alpha-synuclein, Lewy bodies, Marinesco bodies, Prion-like spread, dependent accumulation of neuromelanin, neuromelanin, neuropathological hallmarks of parkinson, human tyrosinase, endogenous synuclienopathy, neuropathological hallmark, synuclein, dopaminergic neuron, model of parkinson, parkinson, neuron

Funders Acknowledgements:

Aligning Science Across Parkinsons (ASAP)

Grant ID: ASAP-020505

Spanish Ministry of Science and Innovation

Grant ID: PID2020-120308RB-I00

CiberNed Intramural Collaborative Projects

Grant ID: PI2020/09

Disclaimer

The authors report no competing interests

Abstract

This study was aimed to develop and characterize a non-human primate (NHP) model of Parkinson's disease mimicking the known neuropathological hallmarks of Parkinson's disease to the best possible extent. Accordingly, we sought to determine whether AAV-mediated enhanced expression of human tyrosinase (hTyr) in the substantia nigra (SNpc) of non-human primates (NHPs) is able to induce a time-dependent accumulation of neuromelanin (NMel) in dopaminergic neurons, further triggering and endogenous synucleinopathy, progressive cell death and a pro-inflammatory scenario, in keeping with what was formerly reported in rats by taking advantage of a similar strategy (Carballo-Carbajal et al., 2019). Furthermore, the potential prionoid spread of endogenous alpha-synuclein (a-Syn) species towards the prefrontal cortex was analyzed, in an attempt to evaluate to what extent there is a propagation of endogenous a-Syn by permissive trans-synaptic templating (e.g. the so-called Braak hypothesis). Adult juvenile NHPs (*Macaca fascicularis*) were injected with adeno-associated viral vectors (AAVs) encoding either the hTyr gene (AAV-hTyr; delivered into the left SNpc) or a null construct for control purposes (AAV-null; injected into the right SNpc). In order to delineate a timeline for the underlying processes, one group of NHPs was sacrificed four months post-AAV deliveries (animals M308F4 and M310M4), whereby the follow-up timing for second experimental group was settled at eight months post-AAVs surgeries (animals M307F8 and M309M8). Neuroimage studies (MRI and MicroPET) were conducted *in vivo* at different time points. Upon animal sacrifices, brain tissue samples were processed for histological analysis comprising intracellular NMel levels, intracellular aggregates, nigrostriatal degeneration and neuroinflammation.

Attachments



[PROTOCOL.docx](#)

74KB

Disclaimer

The authors report no competing interests

Attachments



PROTOCOL.d

ocx

74KB

Files

 SEARCH

Protocol references

- Carballo-Carvajal I, Laguna A, Romero-Giménez J, Cuadros T, Bové J, Martínez-Vicente M, et al. Brain tyrosinase overexpression implicates age-dependent neuromelanin production in Parkinson's disease pathogenesis. *Nat Commun.* 2019;10:973.
- Zolotukhin S, Byrne BJ, Mason E, Zolotukhin I, Potter M, Chesnut K, et al. Recombinant adeno-associated virus purification using novel methods improves infectious titer and yield. *Gene Ther.* 1999;6:973-985.
- Lanciego JL, Vázquez A. The basal ganglia and thalamus of the long-tailed macaque in stereotaxic coordinates. A template atlas based on coronal, sagittal and horizontal brain sections. *Brain Struct Funct.* 2012;217:613-666.
- Blesa J, Juri C, Collantes M, Peñuelas I, Prieto E, Iglesias E, et al. Progression of dopaminergic depletion in a model of MPTP-induced parkinsonism in non-human primates. An (18)F-DOPA and (11)C-DTBZ PET study. *Neurobiol Dis.* 2010;38:456-463.
- Collantes M, Prieto E, Peñuelas I, Blesa J, Juri C, Martí-Climent JM, et al. New MRI, 18F-DOPA and 11C-(+)-alpha-dihydrotetrabenazine templates for Macaca fascicularis neuroimaging: advantages to improve PET quantification. *Neuroimage* 2009;47:533-539.
- Ariz M, Abad RC, Castellanos G, Martínez M, Muñoz-Barrutia A, Fernández-Seara MA, et al. Dynamic atlas-based segmentation and quantification of neuromelanin-rich brainstem structures in Parkinson disease. *IEEE Trans Med Imaging* 2019;38:813-823.
- Castellanos G, Fernández-Seara MA, Lorenzo-Betancor O, Ortega-Cubero S, Puigvert M, Uranga J, et al. Automated neuromelanin imaging as a diagnostic biomarker for Parkinson's disease. *Mov Disord.* 2015;30:945-952.
- Ruifrok AC, Johnston DA. Quantification of histochemical staining by color deconvolution. *Anal Quant Cytol Histol.* 2001;23:291-299.

