

Oct 10, 2019

Prototype Protocol

DOI

<https://dx.doi.org/10.17504/protocols.io.73yhqpw>

George Moberly¹

¹GENIE Life Sciences



George Moberly

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.73yhqpw>

Protocol Citation: George Moberly 2019. Prototype Protocol. protocols.io <https://dx.doi.org/10.17504/protocols.io.73yhqpw>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: In development

We are still developing and optimizing this protocol

Created: October 10, 2019

Last Modified: October 10, 2019

Protocol Integer ID: 28504

Keywords: protocol

Abstract

Prototype Protocol



- 1 Add 200 μ l SWS to the tube. Pipette to mix.
- 2 Place on the 50°C heat block for 30 minutes.
- 3 Immediately place on a magnetic stand and wait until the liquid is clear (~2 minutes).
- 4 Remove and discard all supernatant from the tube.
- 5 Remove from the magnetic stand. 1. Add 200 μ l SWS to the tube. Pipette to mix.