Sep 23, 2023

Rapalog-induced chemical dimerization experiments

Nature Structural & Molecular Biology

DOI
https://dx.doi.org/10.17504/protocols.io.n92ldmyynl5b/v1

Elias Adriaenssens[1]

[1]Sascha Martens lab, University of Vienna, Max Perutz Labs - Vienna

Elias Adriaenssens
Sascha Martens lab, University of Vienna, Max Perutz Labs - ...

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN ACCESS

DOI: https://dx.doi.org/10.17504/protocols.io.n92ldmyynl5b/v1

External link: https://doi.org/10.1038/s41594-024-01338-y

Protocol Citation: Elias Adriaenssens 2023. Rapalog-induced chemical dimerization experiments. **protocols.io** https://dx.doi.org/10.17504/protocols.io.n92ldmyynl5b/v1

Manuscript citation:
Adriaenssens, E., Nguyen, T.N., Sawa-Makarska, J. *et al.* Control of mitophagy initiation and progression by the TBK1 adaptors NAP1 and SINTBAD. *Nat Struct Mol Biol* **31**, 1717–1731 (2024). https://doi.org/10.1038/s41594-024-01338-y

License: This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: June 28, 2023

Last Modified: May 31, 2024

Protocol Integer ID: 84159

Keywords: Rapalog-induced chemical dimerization experiments, ASAPCRN, induced chemical dimerization experiment, chemical dimerization experiment, chemical dimerization experiments this protocol, rapalog

Funders Acknowledgements:
Aligning Science Across Parkinson's (ASAP)
Grant ID: ASAP-000350
Marie Skłodowska-Curie MSCA Postdoctoral fellowship
Grant ID: 101062916

Abstract

This protocol describes Rapalog-induced chemical dimerization experiments.

Attachments

760-1928.pdf
35KB

Materials

Reagents

iDimerize™ Inducible Heterodimer System **Takara Bio Inc. Catalog #**635067

LSR Fortessa Cell Analyzer (BD Biosciences)

Rapalog-induced chemical dimerization experiments

1d

1 To perform chemical-induced dimerization (CID) experiments we will first establish cell lines expressing the FRB-Fis1 and FKBP-GFP-GOI (FKBP-GFP fused to our gene of interest).

2 HeLa cells are consecutively transduced with lentivirus for FRB-Fis1, which also expresses mitochondrially targeted monoKeima (mt-mKeima), and then with FKBP-GFP-GOI. See the lentivirus transduction protocol for further details.

3 Once cell lines are established, cells are seeded in 6-well plates the day before the experiment (density: 800k per well).

4 Induce FKBP-FRB dimerisation by treating the cells with [M] 50 nanomolar (nM) Rapalog A/C hetero-dimerizer rapalog (635057, Takara) for 24:00:00 . 1d

5 After 24h, collect cells by trypsinization and take the cells to the FACS facility for mt-mKeima analysis.

6 Analyze the cells by flow cytometry, using the mt-mKeima ratio (561/405) as a readout with an LSR Fortessa Cell Analyzer (BD Biosciences).

7 Gate the cells for GFP/mt-mKeima double-positive cells, and collect 10,000 events for this population.

8 Analyze data using FlowJo.