

Nov 14, 2023

Renal Multicompartment Segmentation Object Boundaries

DOI

<https://dx.doi.org/10.17504/protocols.io.dm6gp35p8vzp/v1>

Nicholas Lucarelli¹

¹University of Florida



Nicholas Lucarelli

University of Florida

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.dm6gp35p8vzp/v1>

Protocol Citation: Nicholas Lucarelli 2023. Renal Multicompartment Segmentation Object Boundaries. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.dm6gp35p8vzp/v1>

Manuscript citation:

Lucarelli et. al. Kidney 360. December, 2023.

License: This is an open access protocol distributed under the terms of the **[Creative Commons Attribution License](#)**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

Created: November 14, 2023

Last Modified: November 14, 2023

Protocol Integer ID: 90937

Keywords: renal multicompartment segmentation object boundaries boundary description, renal whole slide image, stained renal whole slide image, multicompartment segmentation pipeline, cmilab multicompartment segmentation pipeline for pa, segmentation, pipeline, image

Abstract

Boundary descriptions for segmentations produced by the CMILab multicompartment segmentation pipeline for PAS-stained renal whole slide images.

segmentations.ome.tiff channels

- 1 Cortical Interstitium: Defined as the spaces in the renal cortex situated between basement membranes of glomeruli, tubules, and vessels. Does not include perivascular stroma.
- 2 Medulla Interstitium: Defined as the spaces in the renal medulla situated between basement membranes of tubules, and vessels. Does not include perivascular stroma.
- 3 Non Globally Sclerotic Glomeruli: Outer boundary is defined by the outer boundary of the bowman's capsule. Glomeruli may show signs of sclerosis but are not deemed globally sclerotic.
- 4 Globally Sclerotic Glomeruli: Outer boundary is defined by the outer boundary of what would be the bowman's capsule in a healthy glomerulus. Glomeruli are deemed globally sclerotic, and no longer functional.
- 5 Tubules: Outer boundary is defined as the outer boundary of the tubular basement membrane. Classification is not specific to tubular segments (i.e. PCT, DCT, TAL, etc.).
- 6 Arteries/Arterioles: Outer boundary is defined as the outer boundary of the medial layer of all arteries or arterioles in the sections. Veins and capillaries are not considered.