SEP 20, 2019

Restriction Digest

宏亮 董¹¹Northeast Forest University

2019 iGEM NEFU_China

Tech. support email: shengyiyanwork@gmail.com

宏亮 董

OPEN ACCESS

DOI:dx.doi.org/10.17504/protocols.io.7h6hj9e**Protocol Citation:** 宏亮 董

2019. Restriction Digest.

protocols.io<https://dx.doi.org/10.17504/protocols.io.7h6hj9e>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: Sep 20, 2019**Last Modified:** Sep 20, 2019**PROTOCOL integer ID:**

27934

Keywords: Digest, Restriction enzyme, Single digested, Double digested

ABSTRACT

This protocol includes three different methods of digestion.

MATERIALS

Restriction enzyme

Buffer 2.1/3.1/CutSmart

SAFETY WARNINGS

Please wear gloves for the experiment.

Single digested

1 Add the following reagents to a tube.

Total	10ul	30ul	50ul
DNA	0.4ug	1.2ug	2ug
Enzyme	0.2ul	0.6ul	1ul
Buffer(10*)	1ul	3ul	5ul
ddwater Fill the rest with water			

2 Pipette up and down thoroughly.

3 Put at 37°C for about 2 hours (according to different enzymes).

Single digested+CIP

4 Add the following reagents to a tube.

Total	10ul	30ul	50ul
DNA	0.4ug	1.2ug	2ug
Enzyme	0.2ul	0.6ul	1ul
Buffer(10*)	1ul	3ul	5ul
ddWater	Fill the rest with water	Fill the rest with water	Fill the rest with water

5 Pipette up and down thoroughly.

6 Put at 37°C for about 2 hours (according to different enzymes).

- 7 Put at 65°C for about 20 min.(according to different enzymes)
- 8 Purification of enzyme digestion products with Cycle Pure Kit D6492 (OMEGA bio-tek)
- 9 DNA product concentrations were measured using Nano

- 10 Add the following reagents to a tube:

Total	10ul	30ul	50ul
DNA product	0.4ug	1.2ug	2ug
CIP(NEB)	0.2ul	0.6ul	1ul
Cutsmart(10*)	1ul	3ul	5ul
ddWater	Fill the rest with water	Fill the rest with water	Fill the rest with water

- 11 Pipette up and down thoroughly.
- 12 Put at 37°C for about 2 hours (according to different enzymes).

Double digested

- 13 Add the following reagents to a tube.

Total	10ul	30ul	50ul
-------	------	------	------

DNA	0.4ug	1.2ug	2ug
Enzyme 1	0.2ul	0.6ul	1ul
Enzyme 2	0.2ul	0.6ul	1ul
Buffer(10*)	1ul	3ul	5ul
ddwater	Fill the rest with water	Fill the rest with water	Fill the rest with water

14 Pipette up and down thoroughly.

15 Put at 37°C for about 2 hours (according to different enzymes).

Dpnl digested

16 Add the following reagents to a tube.

Total	10ul	30ul	50ul
DNA product	0.4ug	1.2ug	2ug
Dpnl(NEB)	0.2ul	0.6ul	1ul
Cutsmart(10*)	1ul	3ul	5ul
ddwater	Fill the rest with water	Fill the rest with water	Fill the rest with water

17 Pipette up and down thoroughly.

18 Put at 37°C for about 2 hours (according to different enzymes).