

Nov 11, 2017

## Reverse micellar extraction of recombinant cold-adapted AMS8 lipase

DOI

[dx.doi.org/10.17504/protocols.io.krscv6e](https://dx.doi.org/10.17504/protocols.io.krscv6e)

Fatin Nurfauziana<sup>1</sup>, Mohd. Shukuri Mohamad Ali<sup>1</sup>, Abu Bakar Salleh<sup>1</sup>, Raja Noor Zaliha Raja Abd. Rahman<sup>1</sup>

<sup>1</sup>Universiti Putra Malaysia



Fatin Nurfauziana

OPEN  ACCESS



DOI: [dx.doi.org/10.17504/protocols.io.krscv6e](https://dx.doi.org/10.17504/protocols.io.krscv6e)

**Protocol Citation:** Fatin Nurfauziana, Mohd. Shukuri Mohamad Ali, Abu Bakar Salleh, Raja Noor Zaliha Raja Abd. Rahman 2017. Reverse micellar extraction of recombinant cold-adapted AMS8 lipase. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.krscv6e>

**License:** This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

**We use this protocol and it's working**

**Created:** November 11, 2017

**Last Modified:** February 09, 2018

**Protocol Integer ID:** 8722

**Keywords:** reverse micellar extraction, cold-adapted lipase

### Abstract

RME is one of the liquid-liquid extraction method using a surfactant and organic solvent to extract cold-adapted lipase AMS8.

## Attachments



protocol.io.docx

21KB

