

Nov 29, 2023

Serial Alberta Stroke Program Early CT Score to Predict Stroke-Associated Pneumonia after Thrombolysis in Patients with Acute Ischemic Stroke

DOI

dx.doi.org/10.17504/protocols.io.q26g7p6qkgwz/v1

Sarawut Kongsut¹, Atiwat Soontornpun², Niyada Anusasnee³

¹Division of Neurology, Department of Internal Medicine, Faculty of Medicine, Saraburi Hospital, Saraburi, Thailand;

²Division of Neurology, Department of Internal Medicine, Faculty of Medicine, Chiang Mai University, Chiang Mai, Thailand;

³Division of radiology, Saraburi Hospital, Saraburi, Thailand



สรารุท ครองสัตย์

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.q26g7p6qkgwz/v1>

Protocol Citation: Sarawut Kongsut, Atiwat Soontornpun, Niyada Anusasnee 2023. Serial Alberta Stroke Program Early CT Score to Predict Stroke-Associated Pneumonia after Thrombolysis in Patients with Acute Ischemic Stroke. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.q26g7p6qkgwz/v1>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: November 29, 2023

Last Modified: November 29, 2023

Protocol Integer ID: 91579

Keywords: ischemic stroke, cerebrovascular disease, thrombolysis, ASPECTS, stroke-associated pneumonia, associated pneumonia after thrombolysis, performance of serial alberta stroke program, predicting stroke, patients with acute ischemic stroke objective, serial alberta stroke program, acute ischemic stroke objective, associated pneumonia, acute anterior circulation ischemic stroke, complications of stroke, stroke, ct score, thrombolysis, thrombolized aaci, modified water swallowing test

Funders Acknowledgements:

Medical Education Center at Saraburi Hospital

Grant ID: MC010-2566

Disclaimer

The authors have no conflicts of interest directly relevant to the content of this article.

Abstract

Objectives: To investigate the performance of serial Alberta Stroke Program Early CT Score (ASPECTS) assessment for predicting stroke-associated pneumonia (SAP) in patients with thrombolized acute anterior circulation ischemic stroke (AACIS).

Materials and Methods: A retrospective observational cohort study of adult patients with thrombolized AACIS was conducted. Baseline and 24-hour ASPECTS using non-contrast computed tomography (NCCT), complications of stroke, including SAP and swallowing dysfunction using the Modified Water Swallowing test, were collected. Receiver operating characteristic curves using binary logistic regression and a multivariable logistic regression model were generated to compare the predictive performance.

Attachments



[Protocol.pdf](#)

162KB

Troubleshooting



1 **Serial Alberta Stroke
Program Early CT Score to Predict Stroke-Associated Pneumonia after Thrombolysis
in Patients with Acute Ischemic Stroke**

Protocol references

1. Phongphuttha W, Tiamkao S. Outcome of stroke fast-track patients arrival by emergency medical services. *J Med Assoc Thai*. 2021;104(2):S88-S93. doi:10.35755/jmedassothai.2021.S01.12299
2. Jantasri S, Tiamkao S, Sawanyawisuth K. A 2-point difference of NIHSS as a predictor of acute ischemic stroke outcome at 3 months after thrombolytic therapy. *Clin Neurol Neurosurg*. 2020;198(August):106206. doi:10.1016/j.clineuro.2020.106206
3. Johnston KC, Li JY, Lyden PD, et al. Medical and neurological complications of ischemic stroke: Experience from the RANTTAS trial. *Stroke*. 1998;29(2):447-453. doi:10.1161/01.STR.29.2.447
4. Hong KS, Saver JL, Kang DW, et al. Years of optimum health lost due to complications after acute ischemic stroke: Disability-adjusted life-years analysis. *Stroke*. 2010;41(8):1758-1765. doi:10.1161/STROKEAHA.109.576066
5. Walter U, Knoblich R, Steinhagen V, Donat M, Benecke R, Kloth A. Predictors of pneumonia in acute stroke patients admitted to a neurological intensive care unit. *J Neurol*. 2007;254(10):1323-1329. doi:10.1007/s00415-007-0520-0
6. Harms H, Reimnitz P, Böhner G, et al. Influence of stroke localization on autonomic activation, immunodepression, and post-stroke infection. *Cerebrovasc Dis*. 2011;32(6):552-560. doi:10.1159/000331922
7. Hoffmann S, Malzahn U, Harms H, et al. Development of a clinical score (A2DS2) to predict pneumonia in acute ischemic stroke. *Stroke*. 2012;43(10):2617-2623. doi:10.1161/STROKEAHA.112.653055
8. Ji R, Shen H, Pan Y, et al. Novel risk score to predict pneumonia after acute ischemic stroke. *Stroke*. 2013;44(5):1303-1309. doi:10.1161/STROKEAHA.111.000598
9. Puetz V, Dzialowski I, Hill MD, Demchuk AM. The Alberta stroke program early ct score in clinical practice: What have we learned? *Int J Stroke*. 2009;4(5):354-364. doi:10.1111/j.1747-4949.2009.00337.x
10. Amalia L, Furqani MA, Parwati I, Rizal A, Panigoro R. Correlation between Alberta stroke program early computed tomography score (ASPECTS) and national institute of health stroke score (NIHSS) in Ischemic Stroke. *Sains Malaysiana*. 2020;49(5):1115-1120. doi:10.17576/jsm-2020-4905-16
11. Rangaraju S, Frankel M, Jovin TG. Prognostic Value of the 24-Hour Neurological Examination in Anterior Circulation Ischemic Stroke: A post hoc Analysis of Two Randomized Controlled Stroke Trials. *Interv Neurol*. 2015;4(3-4):120-129. doi:10.1159/000443801
12. Mistry EA, Yeatts S, De Havenon A, et al. Predicting 90-Day Outcome after Thrombectomy: Baseline-Adjusted 24 Hour NIHSS Is More Powerful Than NIHSS Score Change. *Stroke*. 2021;(August):2547-2553. doi:10.1161/STROKEAHA.120.032487
13. Barber PA, Demchuk AM, Zhang J, Buchan AM. Validity and reliability of a quantitative computed tomography score in predicting outcome of hyperacute stroke before thrombolytic therapy. *Lancet*. 2000;355(9216):1670-1674. doi:10.1016/S0140-6736(00)02237-6
14. Tanaka K, Matsumoto S, Furuta K, et al. Modified diffusion-weighted imaging-Alberta Program Early Computed Tomography Score including deep white matter lesions predicts symptomatic intracerebral hemorrhage following intravenous thrombolysis. *J Thromb Thrombolysis*. 2020;50(1):174-180. doi:10.1007/s11239-019-01979-7



15. Warner JJ, Harrington RA, Sacco RL, Elkind MSV. Guidelines for the early management of patients with acute ischemic stroke 2019 update to the 2018 guidelines for the early management of acute ischemic stroke. *Stroke*. 2019;50(12):3331-3332. doi:10.1161/STROKEAHA.119.027708
16. International Statistical Classification of Diseases and Related Health Problems. 10th revision. World Health Organization; 2019.
17. Mokin M, Primiani CT, Siddiqui AH, Turk AS. ASPECTS (Alberta Stroke Program Early CT Score) Measurement Using Hounsfield Unit Values When Selecting Patients for Stroke Thrombectomy. *Stroke*. 2017;48(6):1574-1579. doi:10.1161/STROKEAHA.117.016745
18. Horiguchi S, Suzuki Y. Screening tests in evaluating swallowing function. *Japan Med Assoc J*. 2011;54(1):31-34.