APR 24, 2019

🌐 Small-scale silencing experiment in vegetative *Euplotes crassus* (provisional)

🔗 Forked from [Small-scale silencing experiment in vegetative *Euplotes crassus* \(provisional\)](#)

📁 In 1 collection

Rachele Cesaroni¹

¹Universität Bern

Protist Research to Optimize Tools in Genetics (PROT-G)

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.2asgae

Angela Piersanti
University of Camerino

Protocol Citation: Rachele Cesaroni 2019. Small-scale silencing experiment in vegetative *Euplotes crassus* (provisional). **protocols.io** <https://dx.doi.org/10.17504/protocols.io.2asgae>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: In development
We are still developing and optimizing this protocol

Created: Apr 24, 2019

Last Modified: Apr 24, 2019

PROTOCOL integer ID:
22578

1 Grow RNase III deficient E.coli strain HT115 in LB with antibiotic selection o/n at 37°C.

- 2 Prepare a 1:100 dilution of the bacterial culture, and grow it at 37°C until it reaches an OD₆₀₀ of 0.4.
- 3 Add 0.4 mM IPTG, and induce RNA transcription from the L4440 plasmid in the bacteria o/n at 37°C.
- 4 Collect the bacteria by centrifugation at max speed for 10 minutes, and wash them once with ddH₂O.
- 5 Isolate at least 30 well-starved *Euplotes crassus* cells, and feed them twice a day with feeding bacteria.
- 6 Leave the *Euplotes crassus* cells at 24°C, and monitor daily the change in phenotype.