

Sep 22, 2019

SOC Medium

DOI

dx.doi.org/10.17504/protocols.io.7juhknw

Alba Balletbó¹

¹Wageningen University

iGEM Wageningen 2019



Alba Balletbó

OPEN  ACCESS



DOI: dx.doi.org/10.17504/protocols.io.7juhknw

Protocol Citation: Alba Balletbó 2019. SOC Medium. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.7juhknw>

License: This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: September 22, 2019

Last Modified: September 22, 2019

Protocol Integer ID: 27988


Guidelines

Mixture must be autoclaved before use.

Materials

MATERIALS

 Magnesium Sulfate (MgSO₄) Solution - 6.0 ml **New England Biolabs Catalog #B1003S**

 Distilled Water

 KCl

 MgCl₂

 NaCl **Sigma Aldrich Catalog #53014**

 Tryptone **Fisher Scientific Catalog #BP1421-500**

 Glucose **Sigma Aldrich Catalog #G8270**

 Yeast Extract **Thermo Fisher Catalog #211930**

1 Add SOC medium components in a 1 L autoclavable. SOC medium components (1 L):

Trypt one	2% w/v
Yeast Extract	0.5% w/v
NaCl	10 mM
KCl	2.5 mM
MgCl ₂ · 6H ₂ O	10 mM
MgSO ₄ · 6H ₂ O	10 mM
Glucose	20 mM

- 2 Add 1 L of distilled water into the bottle.
- 3 Vigorously shake the bottle.
- 4 Place the bottle into the autoclave and sterilize.