JAN 30, 2019

Standard Operating Procedure for Solid Phase Adsorption Toxin Testing (SPATT) Assemblage and Extraction of HAB Toxins

Kendra Negrey¹, Meredith Howard¹, Jayme Smith²,
Raphael Kudela², David Caron²

¹University of California, Santa Cruz; ²University of Southern California

Kendra Negrey
University of California, Santa Cruz

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.xkpfkvn

Document Citation: Kendra Negrey, Meredith Howard, Jayme Smith, Raphael Kudela, David Caron 2019. Standard Operating Procedure for Solid Phase Adsorption Toxin Testing (SPATT) Assemblage and Extraction of HAB Toxins. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.xkpfkvn>

License: This is an open access document distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Created: Jan 30, 2019

Last Modified: Jan 30, 2019

DOCUMENT integer ID:
19823

Keywords: SPATT, HAB toxins, HP20

ABSTRACT

SPATT has been developed and tested for a variety of resins (see review by Kudela, 2017). These Standard Operating Procedures (SOP) outline the use of the resin DIAON HP20 since it has been demonstrated to quantify microcystins, anatoxin-a, saxitoxin, domoic acid, and okadaic acid in fresh, brackish, and marine waters, all from the same SPATT sampling device (Lane et al. 2010; Miller et al. 2010, Kudela 2011, Gobble and Kudela, 2014, Howard et al., 2017, Kudela, 2017, Peacock et al., 2018). Cylindrospermopsin and nodularin have also been detected using SPATT with DIAON HP20 resin in California, however, the use of DIAON HP20 for these toxins has not been well characterized in the laboratory. This methodology is ready for wider adoption by the research, monitoring, and management communities interested in detecting and tracking the dynamics of freshwater and marine toxins. The SOP described herein for the assemblage and construction of SPATT bags can be used for deployment in freshwater, brackish and marine environments and the extraction process described below is for the analysis of both marine toxins and cyanotoxins.

ATTACHMENTS

[SPATT SOP All Toxins.pdf](#)

ATTACHMENTS

SPATT SOP
All Toxins.pdf