



May 24, 2022

Version 2

🌐 Testing and validation of a Patient-Reported Outcome Measure for Older People with frailty and Acute Care needs (PROM-OPAC). V.2

DOI

dx.doi.org/10.17504/protocols.io.5jyl856prl2w/v2

James D van Oppen¹

¹University of Leicester



James D van Oppen

University of Sheffield

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.5jyl856prl2w/v2>

Protocol Citation: James D van Oppen 2022. Testing and validation of a Patient-Reported Outcome Measure for Older People with frailty and Acute Care needs (PROM-OPAC).. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.5jyl856prl2w/v2> Version created by **James D van Oppen**

License: This is an open access protocol distributed under the terms of the **[Creative Commons Attribution License](#)**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

Study complete - manuscripts under peer review

Created: May 24, 2022

Last Modified: May 24, 2022

Protocol Integer ID: 63106

Keywords: outcome measure for older people, reported outcome measure, opac, frailty, acute care need, novel prom instrument, prom, older people

Abstract

Aim: To refine, validate, and evaluate the early impact of a novel PROM instrument, the Patient-Reported Outcome Measure for Older People with frailty and Acute Care Needs (PROM-OPAC).

Attachments



Protocol - PROM-

OPAC...

1.8MB



293473 Protocol - PR...

818KB

Troubleshooting

Preparatory work

- 1
 - Semi-structured interviews with 15-30 older people living with frailty with recent experience of UK emergency and acute care.
 - Qualitative analysis using blended approach of framework and comparative methods.
 - Outcome: a framework to define outcome goals for acute healthcare among older people living with frailty.
- 2
 - Scoping review to identify existing patient-reported outcome measure instruments with relevance and potential validity to older people with frailty in the acute care setting.
- 3
 - Development of a novel patient-reported outcome measure for this setting.
 - Review of existing instruments and extensive comparison and reflection with the framework of health outcome goals which has been produced, in order to prepare and exhaustive list of item stems, questions, and responses.
 - Reduction, iterative refinement, and evaluation of content validity of the exhaustive list through patient review in interviews, lay collaborator review in surveys, and clinician review in surveys and short interviews, in order to prepare a draft PROM instrument.

Stage 1

- 4
 - Field-testing the draft instrument in UK sites with a representative sample of 150 older people living with frailty.
 - Evaluation will include feasibility in the form of response rates and feedback, internal consistency, and retest reproducibility, and patient feedback to inform iterative development.
 - Outcomes will be reviewed with lay collaborators and clinicians.

Stage 2

- 5
 - Disseminated testing and validation in separate sites with a further sample of 150 older people living with frailty.
 - Evaluation will include interpretability and construct validity through comparison with alternative measures of healthcare quality.

Stage 3

- 6
 - Evaluation of early implementation and potential applications for PROM-OPAC using follow-up interviews with a small sample of Stage 1 & 2 participants.