APR 21, 2019

The Illumina libraries preparation for the *Scapharca broughtonii*

In 1 collection

Chang-Ming CM Bai¹

¹Yellow Sea Fisheries Research Institute, Chinese Academy of Fishery Sciences

Chang-Ming CM Bai

Yellow Sea Fisheries Research Institute, Chinese Academy of ...

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.z75f9q6

Protocol Citation: Chang-Ming CM Bai 2019. The Illumina libraries preparation for the *Scapharca broughtonii*. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.z75f9q6>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Apr 21, 2019

Last Modified: Apr 21, 2019

PROTOCOL integer ID:
 22493

ABSTRACT

This protocol is used to detail the process of Illumina libraries preparation for the *Scapharca broughtonii* genome.

- 1 The extracted DNA was sheared into fragments about 350 bp in size using a Bioruptor Pico Sonication System (Diagenode, Seraing, Belgium), and verified by agarose gel electrophoresis.

Note

The sizes of the main fragments should be between 200 bp and 500 bp.

- 2 Fragments with size > 300 bp were purified using VAHTSTM DNA Clean Beads (Vazyme Biotech Co., Ltd, Nanjing, China).
- 3 Repaired using NEBNext® End Prep Enzyme Mix (NEB, E6091) and NEBNext® End Repair Reaction Buffer (NEB, B6052) kept at 20°C, 30min; 65°C, 30min with the end-repaired fragments to obtain blunt ends which were then 3'-adenylated to create sticky ends.
- 4 These DNA fragments were ligated at both ends to T-tailed adapters and amplified.
- 5 PCR was performed using NEBNext® Ultra™ II Q5® Master Mix (NEB, M0544), and the Index i7 and Universal i5 primers. The temperature profile was 30 sec. at 98 °C followed by 10 cycles of 10 sec. at 98 °C, 75 sec. at 65 °C, and more 5 min. at 65 °C for further elongation.

Note

INDEX i7 PRIMER: 5'-CAA GCA GAA GAC GGC ATA CGA GAT ATGACGTC GTG ACT GGA GTT CAG ACG TGT GCT CTT CCG ATC*T-3'
NEBNext Universal i5 PCR Primer : 5'-AAT GAT ACG GCG ACC ACC GAG ATC TAC ACT CTT TCC CTA CAC GAC GCT CTT CCG ATC*T-3'

- 6 VAHTSTM DNA Clean Beads (Vazyme Biotech Co., Ltd, Nanjing, China) was used to purify the PCR production.