


Apr 29, 2020

🌐 The image processing protocol of "Comparison of an algorithm quantitatively estimating epifascial fibrosis in three-dimensional computed tomography images to other clinical lymphedema grading methods"



DOI

[dx.doi.org/10.17504/protocols.io.7qbhmsn](https://dx.doi.org/10.17504/protocols.io.7qbhmsn)

Kyo-In Koo<sup>1</sup>, Myung-hwan Ko<sup>2</sup>, Yongkwan Lee<sup>1</sup>, Son Hyewon<sup>1</sup>, Suwon Lee<sup>3</sup>, Chang Ho Hwang<sup>1</sup>

<sup>1</sup>Ulsan University; <sup>2</sup>Chonbuk National University; <sup>3</sup>University of Ulsan

Medical Device Laboratory

Tech. support phone: +82-52-259-1408 email: [kikoo@ulsan.ac.kr](mailto:kikoo@ulsan.ac.kr)



Kyo-In Koo

Ulsan University

## Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.7qbhmsn>

**Protocol Citation:** Kyo-In Koo, Myung-hwan Ko, Yongkwan Lee, Son Hyewon, Suwon Lee, Chang Ho Hwang 2020. The image processing protocol of "Comparison of an algorithm quantitatively estimating epifascial fibrosis in three-dimensional computed tomography images to other clinical lymphedema grading methods". **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.7qbhmsn>

**Manuscript citation:**

The title of the original manuscript: Comparison of an algorithm quantitatively estimating epifascial fibrosis in three-dimensional computed tomography images to other clinical lymphedema grading methods, The submitted journal of the original manuscript: PLOS ONE (eISSN: 1932-6203), The journal reference number of the original manuscript: PONE-D-19-17330, The EMID of the original manuscript: f28fa79b503eeec

**License:** This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

**We use this protocol and it's working**

**Created:** September 26, 2019

**Last Modified:** April 29, 2020

**Protocol Integer ID:** 28131

**Keywords:** diagnosis, lymphedema, fibrosis, tomography, neoplasms, dimensional computed tomography images to other clinical lymphedema, reticulation in ct image, estimating epifascial fibrosi, epifascial fibrosi, dimensional computed tomography image, ct image, image processing protocol, other clinical lymphedema, reticulation, pixel, grading method

## Abstract

The image processing protocol to recognize pixels suspected as reticulation in CT images. The processing sequences of the proposed algorithm submitted to PLOS ONE (eISSN: 1932-6203).

## Attachments



[26Sep2019-prtocol-](#)

[ed...](#)

245KB

## Troubleshooting

