FEB 22, 2018

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.kmxcu7n

External link:
<https://doi.org/10.1371/journal.pone.0189017>

Protocol Citation: Else Marie Bartels 2018. The role of C5a in Rheumatoid and Psoriatic Arthritis in comparison with Osteoarthritis - Profiling of Synovial and Systemic Biomarkers. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.kmxcu7n>

MANUSCRIPT CITATION:
 Hornum L, Hansen AJ, Tornehave D, Fjording MS, Colmenero P, Wätjen IF, Nielsen NHS, Bliddal H, Bartels EM, C5a and C5aR are elevated in joints of rheumatoid and psoriatic arthritis patients, and C5aR blockade attenuates leukocyte migration to synovial fluid. PLoS ONE 12(12). doi: [10.1371/journal.pone.0189017](https://doi.org/10.1371/journal.pone.0189017)

The role of C5a in Rheumatoid and Psoriatic Arthritis in comparison with Osteoarthritis - Profiling of Synovial and Systemic Biomarkers

PLOS One

Else Marie Bartels¹

¹the Parker Institute, Copenhagen University Hospital, Bispebjerg and Frederiksberg

Else Marie Bartels

ABSTRACT

Complement activation correlates to rheumatoid arthritis disease activity, and increased amounts of the complement split product C5a is observed in synovial fluids from rheumatoid arthritis patients. Blockade of C5a or its receptor (C5aR) is efficacious in several arthritis models. The aim of this study is to investigate the role of C5a and C5aR in human rheumatoid arthritis and psoriatic arthritis – both with respect to expression and function.

Synovial fluid, blood and synovial samples will be obtained from rheumatoid arthritis, psoriatic arthritis and osteoarthritis patients as a less inflammatory arthritis type, and blood from healthy subjects. Cells infiltrating synovial tissue will analysed by immunohistochemistry and flow cytometry. SF and blood will be analysed for biomarkers by flow cytometry or ELISA. The effect of a blocking anti-human C5aR mAb on leukocyte migration will be determined using a Boyden chamber. Appropriate statistical tests will be applied for comparisons.

ATTACHMENTS

[Hornum Protocol C5a.pdf](#)

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

Created: Nov 06, 2017

Last Modified: Mar 07, 2018

PROTOCOL integer ID:
8599

Keywords: Rheumatoid Arthritis, Psoriatic Arthritis, Osteoarthritis, C5a, C5a-receptor