

Oct 22, 2019

Total RNA Isolation from Bulk Tissue or Isolated Cells

DOI

dx.doi.org/10.17504/protocols.io.8dehs3e

Brad Godfrey¹

¹University of Michigan - Ann Arbor

KPMP

Tech. support email: info@kpmp.org



Brad Godfrey

OPEN  ACCESS



DOI: dx.doi.org/10.17504/protocols.io.8dehs3e

External link: <http://www.kpmp.org>

Protocol Citation: Brad Godfrey 2019. Total RNA Isolation from Bulk Tissue or Isolated Cells. [protocols.io](#)

<https://dx.doi.org/10.17504/protocols.io.8dehs3e>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: October 17, 2019

Last Modified: May 05, 2020

Protocol Integer ID: 28806

Procedures

- 1 Transfer biopsy in  1.8 mL cryotube (polypropylene) in  1.0 mL RNAlater
- 2 Use color coding cap inserts to indicate biopsy origin
- 3 Store at  -20 °C until RNA extraction
- 4 Perform microdissection of glomeruli / tubulointerstitium
- 5 Store dissected tissue portion in less than  50 μL RNAlater solution and store at  -20 °C until total RNA extraction
- 6 For total RNA/DNA extraction use "AllPrep DNA/RNA Micro Kit" (# 80284) from Qiagen following respective protocol. Use optional Beta-ME for glomerular compartment.

Note: Elute RNA in  16 μL H₂O in nucleotide low-binding tubes (Eppendorf #022431021) and store at  -80 °C .

Note: Keep first flow-through (< 80 bases) for future analysis of small RNAs.

Note

Quality and quantity were measured using Agilent Bioanalyzer 2100

Elute RNA in 16uL

cDNA Generation

- 7 Use NEBNext® Ultra™ II Directional RNA Library Prep Kit for Illumina® (rRNA depletion workflow)1. Use NEBNext® Ultra™ II Directional RNA Library Prep Kit for Illumina® (rRNA depletion workflow)
- 8 1. Store cDNA at  -20 °C

NGS Library Preparation

- 9 Use NovaSeq 6000 to sequence. (The University of Michigan Advanced Genomics Core)1. Use NovaSeq 6000 to sequence. (The University of Michigan Advanced Genomics Core)