

Feb 13, 2019 Version 2

# Transfection of constructs in diplomonads to enhance the HR pathway, using RS-1 (3-(benzylamino) sulfonyl)-4-bromo-N-(4-bromophenyl) benzamide). V.2

DOI

[dx.doi.org/10.17504/protocols.io.x34fqgw](https://dx.doi.org/10.17504/protocols.io.x34fqgw)

Binnypreet Kaur<sup>1</sup>, Drahomíra Faktorová<sup>2</sup>, Julius Lukeš<sup>3</sup>

<sup>1</sup>[Institute of Parasitology Czech Academy of Sciences Faculty of Sciences University of South Bohemia Czech Republic ];

<sup>2</sup>[Institute of Parasitology Czech Academy of Sciences Faculty of Sciences University of South Bohemia Czech Republic];

<sup>3</sup>[Institute of Parasitology Czech Academy of Sciences Faculty of Sciences University of South Bohemia Czech Republic ] [Canadian Institute for Advanced Research Toronto Canada]

Protist Research to Opti...

Julius Lukes



Binnypreet Kaur

1 Institute of Parasitology, Biology Centre, Czech Academy o...

OPEN  ACCESS



DOI: [dx.doi.org/10.17504/protocols.io.x34fqgw](https://dx.doi.org/10.17504/protocols.io.x34fqgw)

**Protocol Citation:** Binnypreet Kaur, Drahomíra Faktorová , Julius Lukeš 2019. Transfection of constructs in diplomonads to enhance the HR pathway, using RS-1 (3-(benzylamino) sulfonyl)-4-bromo-N-(4-bromophenyl) benzamide).. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.x34fqgw>

**License:** This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

**We use this protocol and it's working**

**Created:** February 13, 2019

**Last Modified:** February 13, 2019

Protocol Integer ID: 20316

## Abstract

RS-1 (RAD51-stimulatory compound 1) is a stimulator of homologous recombination (HR) protein RAD51

