SEP 27, 2018

Transient tranfection of unicellular relative of animals, Creolimax fragrantissima, using Lonza Nucleofector

Aleksandra Kozyczkowska¹

¹Institut of Evolutionary Biology (UPF-CSIC)

Protist Research to Optimize Tools in Genetics (PROT-G)

Multicellgenomelab

[1 more workspace](#) ↓

Aleksandra Kozyczkowska

OPEN ACCESS

DOI:

dx.doi.org/10.17504/protocols.io.r65d9g6

Protocol Citation: Aleksandra Kozyczkowska 2018. Transient tranfection of unicellular relative of animals, Creolimax fragrantissima, using Lonza Nucleofector. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.r65d9g6>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: Jul 31, 2018

Last Modified: Sep 27, 2018

PROTOCOL integer ID:
14269

Keywords: tranfection, genetic tools, marine organism, unicellular, electroporation

ATTACHMENTS

[Cfra_transient.avi](#)

GUIDELINES

Keeps cells always on ice & all reagents must be ice-cold

Start a culture two days before transfection to get the culture full of amoeb...

- 1 300ul of culture + 9ml of Marine Broth in a 25cm2 flask

Count the cells to reach 1.5E6 cells / condition

- 2 If there are more conditions, it is recommended to pull the cells together to get more visible pellet

Spin cells down at 2500g for 5'

- 3 Discard the supernatant

Wash cells with chilled 1xPBS

- 4 100ul / condition
Discard the supernatant

Add 20ul of P3 buffer (Lonza) / condition

- 5 P3 PrimaryCell 4D-Nucleofector Kit S (32 rxn) Kit Catalog# H3V4XP-5032
It is recommended not to keep the cells in P3 buffer for too long

Add 1-3 ug of a circular plasmid / condition

- 6 Our plasmid contains sequence coding H2B-Venus under tubulin promoter
It is recommended to have a highly concentrated plasmid

Transfer cells + DNA into a well

- 7 Carefully & without creating bubbles
In total 20-22ul

Insert into a Lonza machine and apply a code: EN-138

- 8

Immediately add 80ul of Marine Broth medium (MB) to a well

9 Mix up and down

Transfer to 1ml of growth medium in 12-well plate (NUNC) and incubate ove...

10

Check for positive cells 24h later using fluorescent microscopy

11 Expected efficiency is 50< cells / well.