MAY 10, 2019

U Mass - Energy balance – food intake, energy expenditure, physical activity

Jason Kim¹

¹University of Massachusetts

Mouse Metabolic Phenotyping Centers

Tech. support email: info@mmpc.org

Lili Liang

OPEN ACCESS

DOI:

dx.doi.org/10.17504/protocols.io.xwwfpfe

External link:

<https://mmpc.org/shared/document.aspx?id=149&docType=Protocol>

Protocol Citation: Jason Kim 2019. U Mass - Energy balance – food intake, energy expenditure, physical activity. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.xwwfpfe>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: Feb 08, 2019

Last Modified: May 10, 2019

PROTOCOL integer ID: 20150

ABSTRACT

Summary:

The TSE PhenoMaster/LabMaster Metabolic Cage system is used to measure indirect calorimetry, food/water intake, energy expenditure, and physical activity in individually housed awake mice. The experiment noninvasively measures VO_2 consumption and VCO_2 production rates in individual mice using metabolic chambers and calculates the respiratory exchange ratio (respiratory quotient) to reflect energy expenditure. Metabolic cage measurement is conducted continuously for 72 hours (3 days) to account for acclimation of mice housed in home cages during the study. With our high-speed Siemens O_2/CO_2 sensing unit, indirect calorimetry measurements may be performed at a 20-min interval for a full 12-cage study.

MATERIALS

MATERIALS

TSE Phenomaster Metabolic Cages [TSE Catalog](#) [#TSE Phenomaster Metabolic Cages](#)

LabMaster Software [TSE Catalog](#) [#LabMaster Software](#)

Mouse diets [Contributed by users](#)

Drinking water [Contributed by users](#)

Corn-cob bedding [Contributed by users](#)

Keywords: food intake,
energy expenditure, physical
activity

- 1 Metabolic cage food and water baskets are calibrated.
- 2 Drink and food baskets are filled with water and appropriate diet.
- 3 Corncob bedding is added to the cages.
- 4 Mice are individually housed in metabolic cages and checked daily for access to food and water.
- 5 Software is set to collect data at selected interval for 3 consecutive days (72 hour measurement period).
- 6 Post-run data are exported and analyzed using Microsoft Excel program.
- 7 Mice should be assessed for body composition (whole body lean mass) prior to metabolic cage measurement in order to incorporate whole body lean mass data for energy expenditure calculation.
- 8 Metabolic cages require monitoring on a daily basis to ensure food and water are accessible to the mice.