AUG 15, 2020

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.bjsfknbn

Protocol Citation: Angel A Justiz-Vaillant 2020. Universal sandwich ELISA for investigating the binding of avian and mammalian immunoglobulins to Streptococcal protein-G (SpG) using a peroxidase-labeled Protein LAG conjugate (SpLAG-HRP).. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.bjsfknbn>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Aug 15, 2020

Last Modified: Aug 15, 2020

PROTOCOL integer ID:
 40487

🌐 Universal sandwich ELISA for investigating the binding of avian and mammalian immunoglobulins to Streptococcal protein-G (SpG) using a peroxidase-labeled Protein LAG conjugate (SpLAG-HRP).

Angel A Justiz-Vaillant¹

¹University of the West Indies St. Augustine

University of the West Indies

angel.vaillant@sta.uwi.edu

Angel A Justiz-Vaillant

University of the West Indies St. Augustine

DISCLAIMER

DISCLAIMER – FOR INFORMATIONAL PURPOSES ONLY; USE AT YOUR OWN RISK

The protocol content here is for informational purposes only and does not constitute legal, medical, clinical, or safety advice, or otherwise; content added to [protocols.io](#) is not peer reviewed and may not have undergone a formal approval of any kind. Information presented in this protocol should not substitute for independent professional judgment, advice, diagnosis, or treatment. Any action you take or refrain from taking using or relying upon the information presented here is strictly at your own risk. You agree that neither the Company nor any of the authors, contributors, administrators, or anyone else associated with [protocols.io](#), can be held responsible for your use of the information contained in or linked to this protocol or any of our Sites/Apps and Services.

MATERIALS

MATERIALS

⊗ Anti-Chicken IgY, HRP Conjugate, 300ul **Promega Catalog #G1351**

⊗ Streptococcal protein G by Sigma Aldrich **Contributed by users**

- 1 This ELISA is used to study the interaction of streptococcal protein-G (SpG) with different avian and mammalian immunoglobulins.
- 2 The 96 well microtitre plate is coated overnight at 4°C with 2 µg/µl per well of SpG in carbonate-bicarbonate buffer pH 9.6.
- 3 Then plate is treated with bovine serum albumin solution and washed 4X with PBS-Tween.
- 4 50 µl of avian egg yolk, egg white (1:8 dilutions) or 50 µl of sera or 50 µl of mammalian IgG (1mg/ml) is added to the well and incubated for 1.30h at room temperature and the microplate is then rewashed 4X with PBS-Tween.
- 5 Then 50 µl of peroxidase-labeled-Protein-LAG (SpLAG-HRP) conjugate diluted 1:15000 in PBS-non-fat milk is added to each well and incubated for 1.30h at RT. The plate is washed 4X with PBS-Tween.
- 6 Pipette 50 µl of TMB (Sigma-Aldrich) to each well.
- 7 The reaction is stopped with 50 µl of 3M H₂SO₄ solution.
- 8 The plate is visually assessed for the development of colour and read in a microplate reader at 450 nm.
- 9 A cut-off point should be calculated as the mean of the optical density of negative controls x 3. The higher the OD value the higher will be the affinity of SpG to immunoglobulins.