

Apr 11, 2023

VU Biomolecular Multimodal Imaging Center (BIOMIC) Eye characterization pipeline

DOI

<https://dx.doi.org/10.17504/protocols.io.j8nlk49w5g5r/v1>



Angela Kruse¹, David Anderson¹, Jeffrey D. Messinger², Jamie Allen¹, Lukasz Migas³, ali.zahraei¹, ellie.l.pingry¹, Morad Malek¹, Audramjudd¹, Dongfeng Cao⁴, Melissa Farrow¹, Christine Curcio², Raf Van De Plas³, Kevin Schey¹, Jeff Spraggins¹

¹Vanderbilt University; ²University of Alabama at Birmingham; ³Delft University of Technology;

⁴University of Alabama, Birmingham

VU Biomolecular Multim...

Human BioMolecular Atl...



Jamie Allen

Vanderbilt University

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.j8nlk49w5g5r/v1>

Protocol Citation: Angela Kruse, David Anderson, Jeffrey D. Messinger, Jamie Allen, Lukasz Migas, ali.zahraei , ellie.l.pingry , Morad Malek, Audramjudd , Dongfeng Cao, Melissa Farrow, Christine Curcio, Raf Van De Plas, Kevin Schey, Jeff Spraggins 2023. VU Biomolecular Multimodal Imaging Center (BIOMIC) Eye characterization pipeline. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.j8nlk49w5g5r/v1>

License: This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: January 11, 2021

Last Modified: October 18, 2023

Protocol Integer ID: 46201

Keywords: HuBMAP, BIOMIC, Vanderbilt, Multimodal Imaging, IMS, MxIF, Proteomics, Image Registration, Eye, vanderbilt eye tissue mapping center, vanderbilt eye tissue mapping center as part, vu biomolecular multimodal imaging center, human biomolecular atlas program, eye characterization pipeline, atlas of human organ, eye tissue, imaging, informative imaging methodology, eye, such as the eye, atlas, human organ

Abstract

We aim to develop high resolution, chemically informative imaging methodologies for building an atlas of human organs, such as the eye.

Scope:

Provide an overview of the methods used by the Vanderbilt Eye Tissue Mapping Center as part of the Human Biomolecular Atlas Program (HuBMAP, NIH Common Fund) and contextualize individual protocols within our larger workflow.

Organ Procurement and Processing

- 1 Collaborating with the Advancing Sight Network (500 Robert Jemison Rd Birmingham, AL 35209), our team identifies and preserves human donor ocular tissue using the following protocols.

Donor Tissue Acceptance Criteria:

1. Caucasian or African American (AA)
2. $\geq 18-70$ years of age
3. Acceptable: sepsis
4. Acceptable: long or short optic nerve stump

Exclusion Criteria:

1. Diabetes
2. Ventilator ≥ 5 days
3. Cataract surgery; glaucoma shunt; intravitreal injections; cornea donor, cornea with infiltrates
4. Conditions discovered through the Interview that can affect retina or choroid (i.e., AMD, macular edema, macular hole, retinitis pigmentosa; neurologic disease Parkinson, any dementia)
5. Surgeries affecting retina, discovered by Interview: vitrectomy, pan-retinal coagulation, scleral buckle
6. Known major head trauma (falls, motor vehicle accident, gunshot wounds, etc)

To facilitate downstream analysis, the anterior and posterior segment are dissected apart during tissue processing.




Figure 1. Division of the anterior and posterior segment during tissue processing. The anterior segment contains the cornea, iris, ciliary body, and lens. The posterior segment contains the retina, fovea, choroid, sclera, and optic nerve head.

Collection of post-surgical tissue and fixation.

Collection-Fixation: [Fixation of Eye Tissue at UAB](#)

Collection-Freezing: [Freezing and Embedding Eye Tissue](#)

Tissue Preparation and Screening

2 Initial Rapid Pathology Assessment of Eye Tissue

Eyes are assessed by ex vivo imaging using optical coherence tomography (OCT), color fundus photography, and near infrared reflectance scanning laser ophthalmoscopy. Normal retinas are those with even and uniform band thicknesses and reflectivity on OCT, with smooth changes in layer thicknesses between retinal regions. In the case of non-uniform band thicknesses and reflectivity levels, eyes that do not exhibit features beyond what can be explained by known post-mortem artifact are considered normal. Known artifacts include detachments of retina from retinal pigment epithelium (RPE), of RPE from choroid, of neurosensory retina from bacillary layer, RPE undulation, cystic change).

Optical Coherence Tomography (OCT) and Scanning Color Fundus Photography: (steps 5-6 of [Fixation of Eye Tissue at UAB](#))



Ocular tissue is further evaluated using histological staining:

PASH Staining

- 3 **Cryosectioning** of tissues into micrometer thick sections, alternating between sections for MALDI, histopathology, MXIF and proteomics.

Sectioning: steps 12-14 of **Freezing and Embedding Eye Tissue**

Sample Assays

- 4 **LC-based Proteomics**

Sample Preparation

Data Acquisition

Data Analysis

- 5 **Autofluorescence microscopy (performed on all slide-mounted tissue sections)**

Pre-IMS Autofluorescence Microscopy

Citation

Patterson NH, Tuck M, Van de Plas R, Caprioli RM (2018)
. Advanced Registration and Analysis of MALDI Imaging Mass Spectrometry
Measurements through Autofluorescence Microscopy.

<https://doi.org/10.1021/acs.analchem.8b02884>

LINK

- 6 **Imaging Mass Spectrometry (IMS)**

Matrix Application:

HTX M5 TM Sprayer

Sublimation

High resolution IMS data acquisition

- 7 **Post-IMS Autofluorescence Microscopy and Image Registration**

Post IMS AF

Matrix removal and staining

Image registration



Citation

Patterson NH, Tuck M, Van de Plas R, Caprioli RM (2018)
. Advanced Registration and Analysis of MALDI Imaging Mass Spectrometry
Measurements through Autofluorescence Microscopy.

<https://doi.org/10.1021/acs.analchem.8b02884>

LINK

Registration of autofluorescence images from both IMS and microscopy sections allows for the direct correlation of two or more orthogonal approaches.

8 **IMS Data Analysis**

Data pre-processing

Lipid annotation

9 **LC-MS/MS Lipidomics Analysis**

LC-MS/MS from tissue cryosections

10 **Spatial transcriptomics via the Nanostring GeoMx Digital Spatial Profiler**

Manual slide preparation

NGS library preparation

Next-generation sequencing