SEP 23, 2020

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.bmnwk5fe

External link:
<https://chem.byu.edu/static/media/uploads/files/chemistrydeptsafetyplan.pdf>

Protocol Citation: Ken Christensen 2020. Working Alone in the Lab--CHEM 584. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.bmnwk5fe>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Sep 23, 2020

Last Modified: Sep 23, 2020

PROTOCOL integer ID:
 42422

Working Alone in the Lab--CHEM 584

Forked from a private protocol

Ken Christensen¹

¹Brigham Young University

Re-Entering Labs Post COVID-19 Shutdown

Ken Christensen
 Brigham Young University

ABSTRACT

Working alone in the laboratory should be minimized; however, CHEM 584 students can work alone in the laboratory if they adhere to the following Standard Operating Procedure (SOP).

Also, the doors to the laboratory must remain closed during times when the class is not in a scheduled session.

GUIDELINES

All personnel who are subject to these SOP requirements must be enrolled in CHEM 584 and only perform experiments required for the laboratory class. Completed SOPs are readily accessible to laboratory personnel via Protocols.io. SOPs are reviewed and revised where needed, as described in the [Department of Chemistry and Biochemistry Chemical Hygiene Plan](#).

BEFORE START

Working alone in the laboratory should be minimized; however, CHEM 584 students can work alone in the laboratory if they adhere to the following Standard Operating Procedure (SOP).

1. HAZARD OVERVIEW

Working alone in the laboratory creates potential safety risks that are not present while working with others. Having no other person in sight or sound of voice could cause increased time for help. Some potential safety risks are:

- If an injury occurs, there will not be another person in close proximity to assist the injured person.
- If a spill happens, there is not another person around to help clean up the spill.
- If a person becomes unconscious, there is not another person to request medical help.

When working alone in the lab, special precautions must be followed.

2. PRECAUTIONS

1. Know where the nearest safety equipment is and how to use it.
2. Do not perform any experiments that use pyrophoric materials or acutely toxic gases.
3. Perform only experiments required for the laboratory course and do not deviate from working SOPs without your instructor's permission.
4. Identify who could be contacted in the event of needing help. This could be a person in another lab, your instructor, lab manager, or safety coordinator.
5. Have someone periodically check on your safety.
6. Have accessible the cell phone numbers of instructor, safety coordinator, or lab manager.
7. Do not work alone when tired or feeling ill.
8. Use and follow procedures found in Safety Data Sheet (SDS) for spill cleanup.
9. Discuss with your instructor which equipment you can and cannot use while working alone.

BEFORE START INSTRUCTIONS

Working alone in the laboratory should be minimized; however, CHEM 584 students can work alone in the laboratory if they adhere to the following Standard Operating Procedure (SOP).