VERSION 1

AUG 26, 2019

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.6tvhen6

Protocol Citation: Laurel Dieckhaus 2019. X2Go Client Set-Up. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.6tvhen6>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: In development
We are still developing and optimizing this protocol

Created: Aug 26, 2019

Last Modified: Sep 03, 2019

PROTOCOL integer ID:
27221

Keywords: X2Go Client, Linux, Windows, User Interface

X2Go Client Set-Up V.1

Laurel Dieckhaus¹

¹University of Arizona

Laurel Dieckhaus

ABSTRACT

X2Go Client set-up to run Linux from Windows computer (on and off campus).

Use the following link for more information or help on setting up X2Go Client:

<https://helpdesk.engr.arizona.edu/support/solutions/articles/33000204314-how-can-i-access-engineering-linux-systems-from-home->

Install X2Go Client

- 1 Install X2Go Client from the following site in the section labeled **Get X2Go**:
<https://wiki.x2go.org/doku.php>. Choose the correct client install based on your type of computer you have (for example, for Windows, you will choose the **Windows Installer**).

Define X2Go Client Session

- 2 Open X2Go Client.

- 3 Select **Session** in the upper left corner and **New Session** from the drop-down menu.

- 4 The program will open a new window where you will enter session preferences.

Session preferences - New session

Session name: New session

<< change icon

Path: /

Server

Host:

Login: University of Arizona Username

SSH port: 22

Use RSA/DSA key for ssh connection:

☐ Try auto login (via SSH Agent or default SSH key)

☐ Kerberos 5 (GSSAPI) authentication

☐ Delegation of GSSAPI credentials to the server

☐ Use Proxy server for SSH connection

Session type

Custom desktop Command: MATE

OK Cancel Defaults

4.1 The main parameters used will be: **Host, Login** and **Session Type**. *Other parameters can be customized to the user but will not be reviewed in this protocol.*

- 4.2 Type engr-hutchin02g.catnet.arizona.edu in the **Host** text box.
- 4.3 Type your **University of Arizona username** in the **Login** text box.
- 4.4 Select **MATE** for the **Session Type**.

Session preferences - New session

Session Connection Input/Output Media Shared folders

Session name: New session

<< change icon

Path: /

Server

Host:

Login: University of Arizona Username

SSH port: 22

Use RSA/DSA key for ssh connection:

☐ Try auto login (via SSH Agent or default SSH key)

☐ Kerberos 5 (GSSAPI) authentication

☐ Delegation of GSSAPI credentials to the server

☐ Use Proxy server for SSH connection

Session type

Custom desktop

MATE

UNITY

CINNAMON

TRINITY

OPENBOX

ICEWM

Connect to Windows Terminal Server

XDMCP

Connect to local desktop

Custom desktop

Command: MATE

OK Cancel Defaults

4.5 Select the **Connection** tab.

4.6 It is recommended that **Connection Speed** be set at **WAN** when you are on campus using the Linux box. If you are working from home, it is recommended to set this to **ADSL**.

4.7 Select the **Input/Output** tab.

4.8 It is recommended that you set **Display** to **Custom** and set the width and height to **1600x900**. *The **Fullscreen** setting will set your entire screen black while the client is loading and can make other items hard to access.*

4.9